SEQUENCE LISTING

```
<110> Staels, Bart
<120> Method for the identification of compounds modulating reverse cholesterol
transport.
<130> 67987.000004
<140> 10/584,304
<141> June 23, 2006
<150> PCT/FR2004/003373
<151> December 23, 2004
<150> FR 0315273
<151> December 23, 2003
<160> 26
<170> PatentIn Ver. 2.1
<210> 1
<211> 13
<212> DNA
<213> Artificial Sequence
<223> LRH-1 response element of the human apo A1 gene promoter.
<400> 1
                                                                     13
ctgatccttg aac
<210> 2
<211> 13
<212> DNA
<213> Artificial Sequence
<220>
<223> Mutated LRH-1 response element of the human apo A1 gene promoter.
<400> 2
ctgattgttg aac
                                                                     13
<210> 3
<211> 65
<212> DNA
<213> Artificial Sequence
<220>
<223> Region B of the human apo A1 gene promoter.
gcagcccccg cagcttgctg tttgcccact ctatttgccc agccccaggg acagagctga 60
ŤccŤt
<210> 4
<211> 87
<212> DNA
<213> Artificial Sequence
<220>
```

```
<223> Region C of the human apo A1 gene promoter.
<400> 4
gaactettaa gttecacatt gecaggaeca gtgageagea acagggeegg ggetgggett 60
atcagcctcc cagcccagac cctggct
<210> 5
·<211> 349
<212> DNA
<213> Artificial Sequence
<220>
<223> Apo AI promotor - j04066 (Apo AI gene) 1819-2167.
<400> 5
gggagacctg caagcctgca gcactcccct cccgccccca ctgaaccctt gacccctgcc 60
ctgcagcccc cgcagcttgc tgtttgccca ctctatttgc ccagccccag ggacagagct 120
gatccttgaa ctcttaagtt ccacattgcc aggaccagtg agcagcaaca gggccggggc 180 tgggcttatc agcctccag cccagacct ggctgcagac ataaataggc cctgcaagag 240 ctggctgctt agagactgcg agaaggaggt gcgtcctgct gcctgcccg gtcactctgg 300 ctccccagct caaggttcag gccttgccc aggccgggcc tctgggtac 349
<210> 6
<211> 166
<212> DNA
<213> Artificial Sequence
<220>
<223> Tk promotor - M80483 (pBLCAT5) 38-204; J02224 (Herpes
       simplex) 302-462.
<400> 6
tgccccgccc agcgtcttgt cattggcgaa ttcgaacacg cagatgcagt cggggcggcg 60
cggtccaggt ccacttcgca tattaaggtg acgcgtgtgg cctcgaacac cgagcgaccc 120
tgcagcgacc cgcttaacag cgtcaacacg tgccgcagat cacgag
<210> 7
<211> 25
<212> DNA
<213> Artificial Sequence
<220>
<223> Sense sequence of hCyp7a wt.
<400> 7
gatctcttag ttcaaggcca gttag
                                                                                 25
<210> 8
<211> 25
<212> DNA
<213> Artificial Sequence
<220>
<223> Antisense Sequence of hCyp7a wt.
<400> 8
                                                                                25
gatcctaact ggccttgaac taaga
<210> 9
```

| <211> <212> <213> | | |
|-----------------------------------|---------------------------------------|----|
| <220> <223> | Sense Sequence of hCyp 7 a mut. | |
| <400> gatct | 9 cttag ttcaattcca gttag | 25 |
| .<210> <211> <212> <213> | 25 | |
| <220> <223> | Antisense Sequence of hCyp 7a mut. | |
| <400> gatcc | 10 taact ggaattgaac taaga | 25 |
| <210> <211> <212> <213> | 27 | |
| <220> <223> | Sense sequence of LHRE_ApoA1_h_5. | |
| <400> gatcc | 11 gcagc ccccgcagct tgctgta | 27 |
| <210> <211> <212> <213> | 27 | |
| <220> <223> | Antisense sequence of LHRE_ApoAI_h_5. | |
| <400> gatcta | 12 acagc aagctgcggg ggctgcg | 27 |
| <210> <211> <212> <213> | 32 | |
| <220> <223> | Sense sequence of LHRE_ApoA1_h_6. | |
| <400> gatcc1 | 13 ttgcc cactctattt gcccagcccc aa | 32 |
| <210><211><211><212> | 32 | |

| <220> <223> Antisense sequence of LHRE_ApoAI_h_6. | |
|---|------------|
| <400> 14 gatcttgggg ctgggcaaat agagtgggca ag | 32 |
| <210> 15 <211> 29 <212> DNA <213> Artificial Sequence | |
| <pre><220> <223> Sense sequence of LHRE_ApoAI_h_7.</pre> | |
| <400> 15 gatccgggac agagctgatc cttgaacta | 29 |
| <210> 16 <211> 29 <212> DNA <213> Artificial Sequence | |
| <220> <223> Antisense sequence of LHRE_ApoAI_h_7. | |
| <400> 16 gatctagttc aaggatcagc tctgtcccg | 29 |
| <210> 17 <211> 29 <212> DNA <213> Artificial Sequence | |
| <pre>'<220> <223> Sense sequence of LHRE_ApoAI_h_8.</pre> | |
| <400> 17 gatccagctt gctgtttgcc cactctata | 29 |
| <210> 18 <211> 29 <212> DNA <213> Artificial Sequence | |
| <220> <223> Antisense sequence of LHRE_ApoAI_h_8. | |
| <400> 18 gatctataga gtgggcaaac agcaagctg | 29 |
| <210> 19 <211> 40 <212> DNA <213> Artificial Sequence | |
| <220> <223> Sense sequence used for mutagenesis of AB | 3CmutLuc+. |
| <400> 19 | |

```
ggacagagct gattgttgaa ctcttaagtt ccacattgcc
                                                                       40
 <210> 20
<211> 38
<212> DNA
 <213> Artificial Sequence
· <220>
<223> Antisense sequence used for mutagenesis of ABCmutLuc+.
cttaagagtt caacaatcag ctctgtccct ggggctgg
                                                                       38
<210> 21
<211> 27
<212> DNA
<213> Artificial Sequence
<223> Sense sequence of FXRRE_ApoA1_h_1.
<400> 21
cagagctgat ccttgaactc ttaagtt
                                                             27
<210> 22
<211> 27
<212> DNA
<213> Artificial Sequence
<223> Antisense sequence of FXRRE_ApoA1_h_1.
<400> 22
'aacttaagag ttcaaggatc agctctg
                                                            27
<210> 23
<211> 27
<212> DNA
<213> Artificial sequence
<223> Sense sequence of FXRRE_ApoA1_h_1_mut.
<400> 23
cagagctgat ccttgaagtg ttaagtt
                                                            27
<210> 24
<211> 27
<212> DNA
<213> Artificial sequence
<223> Antisense sequence of FXRRE_ApoA1_h_1_mut.
<400> 24
 aacttaacac ttcaaggatc agctctg
                                                            27
```

| <210> <211> <212> <213> | 29 | |
|----------------------------------|--|----|
| <220> <223> | Sense sequence of LRHRE-ApoA1 mut. | |
| ·<400> gatccg | 25 ggac agagctgatt gttgaacta | 29 |
| <210> <211> <212> <213> | 29 | |
| <220> <223> | Antisense sequence of LRHRE-ApoA1 mut. | |
| <400> gatcta | 26 gttc aacaatcagc tctgtcccg | 29 |